

Chapter 10. Indoor Air

1. Abt E, Suh HH, Allen G, Koutrakis P. 2000. Characterization of indoor particle sources: A study conducted in the metropolitan Boston area. *Environ Health Perspect* 108:35-44.
2. Ahlborg G Jr, Bodin L. 1991. Tobacco smoke exposure and pregnancy outcome among working women. A prospective study at prenatal care centers in Orebro County, Sweden. *Am J Epidemiol* 133:338-47.
3. Al-Delaimy WK, Crane J, Woodward A. 2000. Questionnaire and hair measurement of exposure to tobacco smoke. *J Expo Anal Environ Epidemiol* 10:378-84.
4. Aligne CA, Stoddard JJ. 1997. Tobacco and children. An economic evaluation of the medical effects of parental smoking. *Arch Pediatr Adolesc Med* 151:648-53.
5. Alm B, Milerad J, Wennergren G, Skjaerven R, Oyen N, Norvenius G, Daltveit AK, HelwegLarsen K, Markestad T, Irgens LM. 1998a. A case-control study of smoking and sudden infant death syndrome in the Scandinavian countries, 1992 to 1995. The Nordic Epidemiological SIDS Study. *Arch Dis Child* 78:329-34.
6. Alm S, Mukala K, Pasanen P, Tiittanen P, Ruuskanen J, Tuomisto J, Jantunen MJ. 1998b. Personal NO₂ exposures of preschool children in Helsinki. *J Expo Anal Environ Epidemiol* 8:79-100.
7. Anderson HR, Cook DG. 1997. Passive smoking and sudden infant death syndrome: review of the epidemiological evidence. *Thorax* 52:1003-9.
8. Ashley MJ, Ferrence R. 1998. Reducing children's exposure to environmental tobacco smoke in homes: issues and strategies. *Tob Control* 7:61-5.
9. Benowitz NL. 1999. Biomarkers of environmental tobacco smoke exposure. *Environ Health Perspect* 107 Suppl 2:349-55.
10. Berge M, Munir AK, Dreborg S. 1998. Concentrations of cat (Fel d1), dog (Can f1) and mite (Der f1 and Der p1) allergens in the clothing and school environment of Swedish schoolchildren with and without pets at home. *Pediatr Allergy Immunol* 9:25-30.
11. Berglund M, Braback L, Bylin G, Jonson JO, Vahter M. 1994. Personal NO₂ exposure monitoring shows high exposure among ice-skating schoolchildren. *Arch Environ Health* 49:17-24.
12. Bergmann RL, Edenharter G, Bergmann KE, Lau S, Wahn U. 2000. Socioeconomic status is a risk factor for allergy in parents but not in their children. *Clin Exp Allergy* 30:1740-5.
13. Biener L, Cullen D, Di ZX, Hammond SK. 1997. Household smoking restrictions and adolescents' exposure to environmental tobacco smoke. *Prev Med* 26:358-63 .
14. Blair PS, Fleming PJ, Bensley D, Smith I, Bacon C, Taylor E, Berry J, Golding J, Tripp J. 1996. Smoking and the sudden infant death syndrome: results from 1993-5 case-control study for confidential inquiry into stillbirths and deaths in infancy. Confidential Enquiry into Stillbirths and Deaths Regional Coordinators and Researchers. *Brit Med J* 313:195-8.
15. Boffetta P, Tredaniel J, Greco A. 2000. Risk of childhood cancer and adult lung cancer after childhood exposure to passive smoke: a meta-analysis. *Environ Health Perspect* 108:73-82.
16. Bornehag CG, Blomquist G, Gyntelberg F, Jarvholm B, Malmberg P, Nordvall L, Nielsen A, Pershagen G, Sundell J. 2001. Dampness in buildings and health. Nordic interdisciplinary review of the scientific evidence on associations between exposure to "dampness" in buildings and health effects (NORDDAMP). *Indoor Air* 11:72-86.
17. Brauer M, Hirtle RD, Hall AC, Yip TR. 1999. Monitoring personal fine particle exposure with a particle counter. *J Expo Anal Environ Epidemiol* 9:228-36.

18. Brauer M, Koutrakis P, Keeler GJ, Spengler JD. 1991. Indoor and outdoor concentrations of inorganic acidic aerosols and gases. *J Air Waste Manage Assoc* 41:171-81.
19. Brownson RC, Eriksen MP, Davis RM, Warner KE. 1997. Environmental tobacco smoke: health effects and policies to reduce exposure. *Annu Rev Public Health* 18:163-85.
20. Burrows B, Martinez FD, Halonen M, Barbee RA, Cline MG. 1989. Association of asthma with serum IgE levels and skin-test reactivity to allergens. *N Engl J Med* 320:271-7.
21. California Environmental Protection Agency. 1997. Health effects of exposure to environmental tobacco smoke [Web Page]. Located at: http://www.oehha.ca.gov/air/environmental_tobacco/finalets.html.
22. Carswell F, Birmingham K, Oliver J, Crewes A, Weeks J. 1996. The respiratory effects of reduction of mite allergen in the bedrooms of asthmatic children--a double-blind controlled trial. *Clin Exp Allergy* 26:386-96.
23. Centers for Disease Control and Prevention. 2001a. Exposure to environmental tobacco smoke and cotinine levels — fact sheet [Web Page]. Located at: http://www.cdc.gov/tobacco/research_data/environmental/factsheet_ets.htm.
24. Centers for Disease Control and Prevention. 2001b. National report on human exposure to environmental chemicals. Cotinine [Web Page]. Located at: <http://www.cdc.gov/nceh/dls/report/results/Cotinine.htm>.
25. Chan-Yeung M, Becker A, Lam J, Dimich-Ward H, Ferguson A, Warren P, Simons E, Broder I, Manfreda J. 1995. House dust mite allergen levels in two cities in Canada: effects of season, humidity, city and home characteristics. *Clin Exp Allergy* 25:240-6.
26. Chang MY, Hogan AD, Rakes GP, Ingram JM, Hoover GE, Platts-Mills TA, Heymann PW. 2000. Salivary cotinine levels in children presenting with wheezing to an emergency department. *Pediatr Pulmonol* 29:257-63.
27. Chen Y, Li WX. 1986. The effect of passive smoking on children's pulmonary function in Shanghai. *Am J Public Health* 76:515-8.
28. Chen Y, Li WX, Yu SZ, Qian WH. 1988. Chang-Ning epidemiological study of children's health: I: Passive smoking and children's respiratory diseases. *Int J Epidemiol* 17:348-55.
29. Clark NM, Brown RW, Parker E, Robins TG, Remick DG Jr, Philbert MA, Keeler GJ, Israel BA. 1999. Childhood asthma. *Environ Health Perspect* 107 Suppl 3:421-9.
30. Cook DG, Strachan DP. 1997. Parental smoking and prevalence of respiratory symptoms and asthma in school age children. *Thorax* 52:1081-94.
31. Cook DG, Strachan DP. 1998. Parental smoking, bronchial reactivity and peak flow variability in children. *Thorax* 53:295-301.
32. Cook DG, Strachan DP. 1999. Summary of effects of parental smoking on the respiratory health of children and implications for research. *Thorax* 54:357-66.
33. Cook DG, Strachan DP, Carey IM. 1998. Parental smoking and spirometric indices in children. *Thorax* 53:884-93.
34. Cook DG, Whincup PH, Papacosta O, Strachan DP, Jarvis MJ, Bryant A. 1993. Relation of passive smoking as assessed by salivary cotinine concentration and questionnaire to spirometric indices in children. *Thorax* 48:14-20.
35. Custovic A, Green R, Fletcher A, Smith A, Pickering CA, Chapman MD, Woodcock A. 1997. Aerodynamic properties of the major dog allergen Can f 1: distribution in homes, concentration, and particle size of allergen in the air. *Am J Respir Crit Care Med* 155:94-8.
36. Custovic A, Woodcock H, Craven M, Hassall R, Hadley E, Simpson A, Woodcock A. 1999. Dust mite allergens are carried on not only large particles. *Pediatr Allergy Immunol* 10:258-60.

37. Dearborn DG, Yike I, Sorenson WG, Miller MJ, Etzel RA. 1999. Overview of investigations into pulmonary hemorrhage among infants in Cleveland, Ohio. *Environ Health Perspect* 107: 495-9.
38. Dekker C, Dales R, Bartlett S, Brunekreef B, Zwanenburg H. 1991. Childhood asthma and the indoor environment. *Chest* 100:922-6.
39. Dell'Orco V, Forastiere F, Agabiti N, Corbo GM, Pistelli R, Pacifici R, Zuccaro P, Pizzabiocca A, Rosa M, Altieri I and others. 1995. Household and community determinants of exposure to involuntary smoking: a study of urinary cotinine in children and adolescents. *Am J Epidemiol* 142:419-27.
40. Dietert RR, Etzel RA, Chen D, Halonen M, Holladay SD, Jarabek AM, Landreth K, Peden DB, Pinkerton K, Smialowicz RJ and others. 2000. Workshop to identify critical windows of exposure for Children's health: immune and respiratory systems work group summary. *Environ Health Perspect* 108 Suppl 3:483-90.
41. Dillon HK, Miller JD, Sorenson WG, Douwes J, Jacobs RR. 1999. Review of methods applicable to the assessment of mold exposure to children. *Environ Health Perspect* 107 Suppl 3:473-80.
42. Dreborg S. 1998. Mite allergens. Collection, determination, expression of results, and risk levels for sensitization and symptom induction. *Allergy* 53:88-91.
43. Dybing E, Sanner T. 1999. Passive smoking, sudden infant death syndrome (SIDS) and childhood infections. *Hum Exp Toxicol* 18:202-5.
44. Egan KM, Stampfer MJ, Hunter D, Hankinson S, Rosner BA, Holmes M, Willett WC, Colditz GA. 2002. Active and passive smoking in breast cancer: prospective results from the nurses' health study. *Epidemiology* 13:138-45.
45. Eggleston PA, Rosenstreich D, Lynn H, Gergen P, Baker D, Kattan M, Mortimer KM, Mitchell H, Ownby D, Slavin R and others. 1998. Relationship of indoor allergen exposure to skin test sensitivity in inner-city children with asthma. *J Allergy Clin Immunol* 102:563-70.
46. Elliot J, Vullermin P, Robinson P. 1998. Maternal cigarette smoking is associated with increased inner airway wall thickness in children who die from sudden infant death syndrome. *Am J Respir Crit Care Med* 158:802-6.
47. Eskenazi B, Bergmann JJ. 1995. Passive and active maternal smoking during pregnancy, as measured by serum cotinine, and postnatal smoke exposure. I. Effects on physical growth at age 5 years. *Am J Epidemiol* 142:S10-8.
48. Etzel RA, Montana E, Sorenson WG, Kullman GJ, Allan TM, Dearborn DG, Olson DR, Jarvis BB, Miller JD. 1998. Acute pulmonary hemorrhage in infants associated with exposure to *Stachybotrys atra* and other fungi. *Arch Pediatr Adolesc Med* 152:757-62.
49. European Centre for Environment and Health WHO. 1999. Children's health and the environment (EUR/ICP/EHCO 02 02 05/16) [Web Page]. Located at: <http://www.euro.who.int/document/e66809.pdf>.
50. Finette BA, O'Neill JP, Vacek PM, Albertini RJ. 1998. Gene mutations with characteristic deletions in cord blood T lymphocytes associated with passive maternal exposure to tobacco smoke. *Nat Med* 4:1144-51.
51. Florey CV, Melia RJ, Chinn S, Goldstein BD, Brooks AG, John HH, Craighead IB, Webster X. 1979. The relation between respiratory illness in primary schoolchildren and the use of gas for cooking--III. Nitrogen dioxide, respiratory illness and lung infection. *Int J Epidemiol* 8:347-53.
52. Freedman DM, Stewart P, Kleinerman RA, Wacholder S, Hatch EE, Tarone RE, Robison LL, Linet MS. 2001. Household solvent exposures and childhood acute lymphoblastic leukemia. *Am J Public Health* 91:564-7.
53. Garrett MH, Hooper MA, Hooper BM. 1999a. Nitrogen dioxide in Australian homes: levels and sources. *J Air Waste Manag Assoc* 49:76-81.
54. Garrett MH, Hooper MA, Hooper BM, Rayment PR, Abramson MJ. 1999b. Increased risk of allergy in children due to formaldehyde exposure in homes. *Allergy* 54:330-7.

55. Gautrin D, Lapierre JG, Malo JL, Infante-Rivard C. 1999. Airway hyperresponsiveness and symptoms of asthma in a six-year follow-up study of childhood asthma. *Chest* 116:1659-64.
56. Gehring U, Douwes J, Doekes G, Koch A, Bischof W, Fahlbusch B, Richter K, Wichmann HE, Heinrich J. 2001. Beta(1->3)-glucan in house dust of German homes: housing characteristics, occupant behavior, and relations with endotoxins, allergens, and molds. *Environ Health Perspect* 109:139-44.
57. Gereda JE, Klinnert MD, Price MR, Leung DY, Liu AH. 2001. Metropolitan home living conditions associated with indoor endotoxin levels. *J Allergy Clin Immunol* 107:790-6.
58. Gergen PJ, Mortimer KM, Eggleston PA, Rosenstreich D, Mitchell H, Ownby D, Kattan M, Baker D, Wright EC, Slavin R and others. 1999. Results of the national cooperative inner-city asthma study (NCICAS) environmental intervention to reduce cockroach allergen exposure in inner-city homes. *J Allergy Clin Immunol* 103:501-6.
59. Gold DR. 2000. Environmental tobacco smoke, indoor allergens, and childhood asthma. *Environ Health Perspect* 108 Suppl 4:643-51.
60. Gold DR, Burge HA, Carey V, Milton DK, Platts-Mills T, Weiss ST. 1999. Predictors of repeated wheeze in the first year of life: the relative roles of cockroach, birth weight, acute lower respiratory illness, and maternal smoking. *Am J Respir Crit Care Med* 160: 227-36.
61. Goldstein BD, Melia RJ, Chinn S, Florey CV, Clark D, John HH. 1979. The relation between respiratory illness in primary schoolchildren and the use of gas for cooking--II. Factors affecting nitrogen dioxide levels in the home. *Int J Epidemiol* 8:339-45.
62. Goren AI, Hellmann S. 1997. Has the prevalence of asthma increased in children? Evidence from a long term study in Israel. *J Epidemiol Community Health* 51:227-32.
63. Gotzsche PC, Hammarquist C, Burr M. 1998. House dust mite control measures in the management of asthma: meta-analysis. *BMJ* 317:1105-10.
64. Hahn DL. 1999. Chlamydia pneumoniae, asthma, and COPD: what is the evidence? *Ann Allergy Asthma Immunol* 83:271-88, 291; quiz 291-2.
65. Hakonarson H, Wjst M. 2001. Current concepts on the genetics of asthma. *Curr Opin Pediatr* 13:267-77.
66. Halonen M, Stern DA, Wright AL, Taussig LM, Martinez FD. 1997. Alternaria as a major allergen for asthma in children raised in a desert environment. *Am J Respir Crit Care Med* 155:1356-61.
67. Heinrich J, Gehring U, Douwes J, Koch A, Fahlbusch B, Bischof W, Wichmann HE. 2001. Pets and vermin are associated with high endotoxin levels in house dust. *Clin Exp Allergy* 31: 1839-45.
68. Hogg JC. 2001. Role of latent viral infections in chronic obstructive pulmonary disease and asthma. *Am J Respir Crit Care Med* 164:S71-5.
69. Holt PG. 1999. Potential role of environmental factors in the etiology and pathogenesis of atopy: a working model. *Environ Health Perspect* 107:485-7.
70. Howard DJ, Ota RB, Briggs LA, Hampton M, Pritsos CA. 1998. Environmental tobacco smoke in the workplace induces oxidative stress in employees, including increased production of 8-hydroxy-2'-deoxyguanosine. *Cancer Epidemiol Biomarkers Prev* 7:141-6.
71. Hrubá D, Kachlik P. 2000. Influence of maternal active and passive smoking during pregnancy on birthweight in newborns. *Cent Eur J Public Health* 8:249-52.
72. Husman TM. 1999. The Health Protection Act, national guidelines for indoor air quality and development of the national indoor air programs in Finland. *Environ Health Perspect* 107 Suppl 3:515-7.

73. Huss K, Adkinson NF Jr, Eggleston PA, Dawson C, Van Natta ML, Hamilton RG. 2001. House dust mite and cockroach exposure are strong risk factors for positive allergy skin test responses in the Childhood Asthma Management Program. *J Allergy Clin Immunol* 107:48-54.
74. Infante-Rivard C. 1993. Childhood asthma and indoor environmental risk factors. *Am J Epidemiol* 137:834-44.
75. Infante-Rivard C, Gautrin D, Malo JL, Suissa S. 1999. Maternal smoking and childhood asthma. *Am J Epidemiol* 150:528-31.
76. International Agency for Research on Cancer. 1987. Overall evaluations of carcinogenicity: an updating of IARC Monographs Volumes 1 to 42 (Supplement 7). Lyon, France: International Agency for Research on Cancer.
77. Jaakkola JJ, Jaakkola N, Zahlsen K. 2001. Fetal growth and length of gestation in relation to prenatal exposure to environmental tobacco smoke assessed by hair nicotine concentration. *Environ Health Perspect* 109:557-61.
78. Jarvis BB, Sorenson WG, Hintikka EL, Nikulin M, Zhou Y, Jiang J, Wang S, Hinkley S, Etzel RA, Dearborn D. 1998. Study of toxin production by isolates of *Stachybotrys chartarum* and *Memnoniella echinata* isolated during a study of pulmonary hemosiderosis in infants. *Appl Environ Microbiol* 64:3620-5.
79. Johnson KC, Hu J, Mao Y. 2000. Passive and active smoking and breast cancer risk in Canada, 1994-97. The Canadian Cancer Registries Epidemiology Research Group. *Cancer Causes Control* 11:211-21.
80. Jordaan ER, Ehrlich RI, Potter P. 1999. Environmental tobacco smoke exposure in children: household and community determinants. *Arch Environ Health* 54:319-27.
81. Kitch BT, Chew G, Burge HA, Muilenberg ML, Weiss ST, Platts-Mills TA, O'Connor G, Gold DR. 2000. Socioeconomic predictors of high allergen levels in homes in the greater Boston area. *Environ Health Perspect* 108:301-7.
82. Klonoff-Cohen HS, Edelstein SL, Lefkowitz ES, Srinivasan IP, Kaegi D, Chang JC, Wiley KJ. 1995. The effect of passive smoking and tobacco exposure through breast milk on sudden infant death syndrome. *JAMA* 273:795-8.
83. Koutrakis P, Brauer M, Briggs SL, Leaderer BP. 1991. Indoor exposures to fine aerosols and acid gases. *Environ Health Perspect* 95:23-8.
84. Lambert WE, Samet JM, Hunt WC, Skipper BJ, Schwab M, Spengler JD. 1993. Nitrogen dioxide and respiratory illness in children. Part II: Assessment of exposure to nitrogen dioxide. *Res Rep Health Eff Inst* 40:33-50; discussion 51-80.
85. Lanphear BP, Aligne CA, Auinger P, Weitzman M, Byrd RS. 2001. Residential exposures associated with asthma in US children. *Pediatrics* 107: 505-11.
86. Larsson ML, Frisk M, Hallstrom J, Kiviloog J, Lundback B. 2001. Environmental tobacco smoke exposure during childhood is associated with increased prevalence of asthma in adults. *Chest* 120:711-7.
87. Lash TL, Aschengrau A. 1999. Active and passive cigarette smoking and the occurrence of breast cancer. *Am J Epidemiol* 149:5-12.
88. Leaderer BP, Naeher L, Jankun T, Balenger K, Holford TR, Toth C, Sullivan J, Wolfson JM, Koutrakis P. 1999. Indoor, outdoor, and regional summer and winter concentrations of PM₁₀, PM_{2.5}, SO₄(²⁻), H⁺, NH₄⁺, NO₃⁻, NH₃, and nitrous acid in homes with and without kerosene space heaters. *Environ Health Perspect* 107:223-31.
89. Leech JA, Wilby K, McMullen E. 1999. Environmental tobacco smoke exposure patterns: a subanalysis of the Canadian Human Time-Activity Pattern Survey. *Can J Public Health* 90:244-9.
90. Leikauf GD, Kline S, Albert RE, Baxter CS, Bernstein DI, Buncher CR. 1995. Evaluation of a possible association of urban air toxics and asthma. *Environ Health Perspect* 103 Suppl 6:253-71.

91. Lemus R, Abdelghani AA, Akers TG, Horner WE. 1998. Potential health risks from exposure to indoor formaldehyde. *Rev Environ Health* 13:91-8.
92. Lewis S, Butland B, Strachan D, Bynner J, Richards D, Butler N, Britton J. 1996 . Study of the aetiology of wheezing illness at age 16 in two national British birth cohorts. *Thorax* 51:670-6.
93. Li JS, Peat JK, Xuan W, Berry G. 1999. Meta-analysis on the association between environmental tobacco smoke (ETS) exposure and the prevalence of lower respiratory tract infection in early childhood. *Pediatr Pulmonol* 27:5-13.
94. Lindstrom AB , Pleil JD. 1996. A methodological approach for exposure assessment studies in residences using volatile organic compound-contaminated water. *J Air Waste Manag Assoc* 46:1058-66.
95. Linn WS, Gong H. 1999. The 21st century environment and air quality influences on asthma. *Curr Opin Pulm Med* 5:21-6.
96. Litovitz TL, Klein-Schwartz W, White S, Cobaugh DJ, Youniss J, Omslaer JC, Drab A, Benson BE. 2001. 2000 annual report of the American Association of Poison Control Centers Toxic Exposure Surveillance System. *Am J Emerg Med* 19:337-95.
97. London SJ, James Gauderman W, Avol E, Rappaport EB, Peters JM. 2001. Family history and the risk of early-onset persistent, early-onset transient, and late-onset asthma. *Epidemiology* 12:577-83.
98. Long CM, Suh HH, Koutrakis P. 2000. Characterization of indoor particle sources using continuous mass and size monitors. *J Air Waste Manag Assoc* 50:1236-50.
99. Lux AL, Henderson AJ, Pocock SJ. 2000. Wheeze associated with prenatal tobacco smoke exposure: a prospective, longitudinal study. ALSPAC Study Team. *Arch Dis Child* 83:307-12.
100. Magnus P, Nafstad P, Oie L, Carlsen KC, Becher G, Kongerud J, Carlsen KH, Samuelsen SO, Botten G, Bakkevig LS. 1998. Exposure to nitrogen dioxide and the occurrence of bronchial obstruction in children below 2 years. *Int J Epidemiol* 27:995-9.
101. Maier WC, Arrighi HM, Morray B, Llewellyn C, Redding GJ. 1997. Indoor risk factors for asthma and wheezing among Seattle school children. *Environ Health Perspect* 105:208-14.
102. Mannino DM, Moorman JE, Kingsley B, Rose D, Repace J. 2001. Health effects related to environmental tobacco smoke exposure in children in the United States: data from the Third National Health and Nutrition Examination Survey. *Arch Pediatr Adolesc Med* 155:36-41.
103. Mansour M, Lanphear BP, Hornung R, Khoury J, Bernstein DI, Menrath W, Decolongon J. 2001. A side-by-side comparison of sampling methods for settled, indoor allergens. *Environ Res* 87:37-46.
104. Manuel J. 1999. A healthy home environment? *Environ Health Perspect* 107:A352-7.
105. Mao Y, Semenciw R, Morrison H, MacWilliam L, Davies J, Wigle D. 1987. Increased rates of illness and death from asthma in Canada. *CMAJ* 137:620-4.
106. Martinez FD , Wright AL, Taussig LM, Holberg CJ, Halonen M, Morgan WJ. 1995. Asthma and wheezing in the first six years of life. The Group Health Medical Associates. *N Engl J Med* 332:133-8.
107. Matsubara F , Kida M, Tamakoshi A, Wakai K, Kawamura T, Ohno Y. 2000. Maternal active and passive smoking and fetal growth: A prospective study in Nagoya, Japan. *J Epidemiol* 10:335-43.
108. Matsuda S, Koyasu S. 2000. Mechanisms of action of cyclosporine. *Immunopharmacology* 47:119-25.
109. McKeever TM , Lewis SA, Smith C, Collins J, Heatlie H, Frischer M, Hubbard R. 2002. Early exposure to infections and antibiotics and the incidence of allergic disease: a birth cohort study with the West Midlands General Practice Research Database. *J Allergy Clin Immunol* 109:43-50.

110. Michel O. 2000. Systemic and local airways inflammatory response to endotoxin. *Toxicology* 152:25-30.
111. Michel O, Kips J, Duchateau J, Vertongen F, Robert L, Collet H, Pauwels R, Sergysels R. 1996. Severity of asthma is related to endotoxin in house dust. *Am J Respir Crit Care Med* 154:1641-6.
112. Millar WJ, Hill GB. 1998. Childhood asthma. *Health Rep* 10:9-21.
113. Minoia C, Meroni G, Aprea C, Oppezzo MC, Magnaghi S, Sciarra G, Barisano A, Fiorentino ML, Berri A, Bellinzona M and others. 1996. Environmental and urinary reference values as markers of exposure to hydrocarbons in urban areas. *Sci Total Environ* 192:163-82.
114. Misra DP, Nguyen RH. 1999. Environmental tobacco smoke and low birth weight: a hazard in the workplace? *Environ Health Perspect* 107:879-904.
115. Moeller DW. 1997. *Environmental health*. Cambridge, MA: Harvard University Press.
116. Montana E, Etzel RA, Allan T, Horgan TE, Dearborn DG. 1997. Environmental risk factors associated with pediatric idiopathic pulmonary hemorrhage and hemosiderosis in a Cleveland community. *Pediatrics* 99:E5.
117. Murphy S. 1997. Expert panel report 2: Guidelines for the diagnosis and management of asthma (No. 97-4051) [Web Page]. Located at: <http://www.nhlbi.nih.gov/guidelines/asthma/asthgdln.pdf> [check website again].
118. National Academy of Sciences. 2000. *Clearing the air. Asthma and indoor air exposures*. Washington, D.C.: National Academy Press.
119. Neas LM, Dockery DW, Ware JH, Spengler JD, Speizer FE, Ferris BG Jr. 1991. Association of indoor nitrogen dioxide with respiratory symptoms and pulmonary function in children. *Am J Epidemiol* 134:204-19.
120. Needham LL, Hill RH, Ashley DL, Pirkle JL, Sampson EJ. 1995. The priority toxicant reference range study: interim report. *Environ Health Perspect* 103 Suppl 3:89-94.
121. Nikulin M, Reijula K, Jarvis BB, Veijalainen P, Hintikka EL. 1997. Effects of intranasal exposure to spores of *Stachybotrys atra* in mice. *Fundam Appl Toxicol* 35:182-8.
122. Ober C, Moffatt MF. 2000. Contributing factors to the pathobiology. The genetics of asthma. *Clin Chest Med* 21:245-61.
123. Ogston SA, Florey CD, Walker CH. 1985. The Tayside infant morbidity and mortality study: effect on health of using gas for cooking. *Br Med J* 290:957-60.
124. Ozkaynak H, Xue J, Spengler J, Wallace L, Pellizzari E, Jenkins P. 1996. Personal exposure to airborne particles and metals: results from the Particle TEAM study in Riverside, California. *J Expo Anal Environ Epidemiol* 6. 6:57-78.
125. Park JH, Gold DR, Spiegelman DL, Burge HA, Milton DK. 2001. House dust endotoxin and wheeze in the first year of life. *Am J Respir Crit Care Med* 163:322-8.
126. Park JH, Spiegelman DL, Burge HA, Gold DR, Chew GL, Milton DK. 2000. Longitudinal study of dust and airborne endotoxin in the home. *Environ Health Perspect* 108:1023-8.
127. Pearce N, Beasley R, Burgess C, Crane J. 1998. *Asthma epidemiology. principles and methods*. New York: Oxford University Press.
128. Pearce N, Douwes J, Beasley R. 2000. Is allergen exposure the major primary cause of asthma? *Thorax* 55:424-31.
129. Peat JK, Dickerson J, Li J. 1998. Effects of damp and mould in the home on respiratory health: a review of the literature. *Allergy* 53:120-8.
130. Pekkanen J, Pearce N. 1999. Defining asthma in epidemiological studies. *Eur Respir J* 14:951-7.

131. Philipson K, Falk R, Gustafsson J, Camner P. 1996. Long-term lung clearance of ¹⁹⁵Au-labeled teflon particles in humans. *Exp Lung Res* 22:65-83.
132. Pichini S, Basagana X, Pacifici R, Garcia O, Puig C, Oriol O, Harris J, Zuccaro P, Segura J, Sunyer J. 2000. Cord serum cotinine as a biomarker of fetal exposure to cigarette smoke at the end of pregnancy. *Environ Health Perspect* 108:1079-83.
133. Pinkerton KE, Joad JP. 2000. The mammalian respiratory system and critical windows of exposure for children's health. *Environ Health Perspect* 108 Suppl 3:457-62.
134. Platts-Mills TA, Carter MC, Heymann PW. 2000. Specific and nonspecific obstructive lung disease in childhood: causes of changes in the prevalence of asthma. *Environ Health Perspect* 108 Suppl 4:725-31.
135. Quirce S, Dimich-Ward H, Chan H, Ferguson A, Becker A, Manfreda J, Simons E, Chan-Yeung M. 1995. Major cat allergen (Fel d I) levels in the homes of patients with asthma and their relationship to sensitization to cat dander. *Ann Allergy Asthma Immunol* 75:325-30.
136. Riedel F, Hasenauer E, Barth PJ, Koziorowski A, Rieger CHL. 1996. Formaldehyde exposure enhances inhalative allergic sensitization in the guinea pig. *Clinical Experimental Allergy* 51:94-9.
137. Salomaa S, Tuominen J, Skytta E. 1988. Genotoxicity and PAC analysis of particulate and vapour phases of environmental tobacco smoke. *Mutat Res* 204:173-83.
138. Samet JM, Lambert WE, Skipper BJ, Cushing AH, Hunt WC, Young SA, McLaren LC, Schwab M, Spengler JD. 1993. Nitrogen dioxide and respiratory illnesses in infants. *Am Rev Respir Dis* 148:1258-65.
139. Sasco AJ, Vainio H. 1999. From in utero and childhood exposure to parental smoking to childhood cancer: a possible link and the need for action. *Hum Exp Toxicol* 18:192-201.
140. Schelegle ES, Gershwin LJ, Miller LA, Fanucchi MV, Van Winkle LS, Gerriets JP, Walby WF, Omlor AM, Buckpitt AR, Tarkington BK and others. 2001. Allergic asthma induced in rhesus monkeys by house dust mite (*Dermatophagoides farinae*). *Am J Pathol* 158:333-41.
141. Scherer G, Meger-Kossien I, Riedel K, Renner T, Meger M. 1999. Assessment of the exposure of children to environmental tobacco smoke (ETS) by different methods. *Hum Exp Toxicol* 18:297-301.
142. Schwartz DA. 1999. Etiology and pathogenesis of airway disease in children and adults from rural communities. *Environ Health Perspect* 107:393-401.
143. Schwartz J, Weiss ST. 1995. Relationship of skin test reactivity to decrements in pulmonary function in children with asthma or frequent wheezing. *Am J Respir Crit Care Med* 152:2176-80.
144. Sears MR, Burrows B, Flannery EM, Herbison GP, Hewitt CJ, Holdaway MD. 1991. Relation between airway responsiveness and serum IgE in children with asthma and in apparently normal children. *N Engl J Med* 325:1067-71.
145. Sears MR, Holdaway MD, Flannery EM, Herbison GP, Silva PA. 1996. Parental and neonatal risk factors for atopy, airway hyper-responsiveness, and asthma. *Arch Dis Child* 75:392-8.
146. Seifert B, Becker K, Helm D, Krause C, Schulz C, Seiwert M. 2000. The German environmental survey 1990/1992 (GerES II): reference concentrations of selected environmental pollutants in blood, urine, hair, house dust, drinking water and indoor air. *J Expo Anal Environ Epidemiol* 10:552-65.
147. Shapiro GG, Wighton TG, Chinn T, Zuckerman J, Eliassen AH, Picciano JF, Platts-Mills TA. 1999. House dust mite avoidance for children with asthma in homes of low-income families. *J Allergy Clin Immunol* 103:1069-74.
148. Shifrin VI, Anderson P. 1999. Trichothecene mycotoxins trigger a ribotoxic stress response that activates c-Jun N-terminal kinase and p38 mitogen-activated protein kinase and induces apoptosis. *J Biol Chem* 274:13985-92.

149. Shima M, Adachi M. 2000. Effect of outdoor and indoor nitrogen dioxide on respiratory symptoms in schoolchildren. *Int J Epidemiol* 29:862-70.
150. Smedje G, Norback D, Edling C. 1997. Asthma among secondary schoolchildren in relation to the school environment. *Clin Exp Allergy* 27:1270-8.
151. Smith BJ, Nitschke M, Pilotto LS, Ruffin RE, Pisaniello DL, Willson KJ. 2000. Health effects of daily indoor nitrogen dioxide exposure in people with asthma. *Eur Respir J* 16:879-85.
152. Smith MT. 1996. The mechanism of benzene-induced leukemia: a hypothesis and speculations on the causes of leukemia. *Environ Health Perspect* 104 Suppl 6:1219-25.
153. Snyder R, Hedli CC. 1996. An overview of benzene metabolism. *Environ Health Perspect* 104 Suppl 6:1165-71.
154. Sporik R, Holgate ST, Platts-Mills TA, Cogswell JJ. 1990. Exposure to house-dust mite allergen (Der p I) and the development of asthma in childhood. A prospective study. *N Engl J Med* 323:502-7.
155. Stevenson CD, Narsey H. 1999. Survey of benzene, and other toxic organic compounds in air: July 1996 - May 1999 [Web Page]. Located at: <http://www.moh.govt.nz/moh.nsf/7004be0c19a98f8a4c25692e007bf833/7ee656ef0cd5aa554c2567fc0008784e?OpenDocument>.
156. Stevenson LA, Gergen PJ, Hoover DR, Rosenstreich D, Mannino DM, Matte TD. 2001. Sociodemographic correlates of indoor allergen sensitivity among United States children. *J Allergy Clin Immunol* 108:747-52.
157. Strachan DP, Cook DG. 1997. Parental smoking and lower respiratory illness in infancy and early childhood. *Thorax* 52:905-14.
158. Strachan DP, Cook DG. 1998a. Parental smoking, middle ear disease and adenotonsillectomy in children. *Thorax* 53:50-6.
159. Strachan DP, Cook DG. 1998b. Parental smoking and childhood asthma: longitudinal and case-control studies. *Thorax* 53:204-12.
160. Strange RC, Spiteri MA, Ramachandran S, Fryer AA. 2001. Glutathione-S-transferase family of enzymes. *Mutat Res* 482:21-6.
161. Su HJ, Rotnitzky A, Burge HA, Spengler JD. 1992. Examination of fungi in domestic interiors by using factor analysis: correlations and associations with home factors. *Appl Environ Microbiol* 58:181-6.
162. Tang D, Warburton D, Tannenbaum SR, Skipper P, Santella RM, Cereijido GS, Crawford FG, Perera FP. 1999. Molecular and genetic damage from environmental tobacco smoke in young children. *Cancer Epidemiol Biomarkers Prev* 8: 8:427-31.
163. Tuffaha A, Gern JE, Lemanske RF Jr. 2000. The role of respiratory viruses in acute and chronic asthma. *Clin Chest Med* 21:289-300.
164. U.S. Environmental Protection Agency. 1992. Respiratory health effects of passive smoking: lung cancer and other disorders (EPA/600/9-90/006F) [Web Page]. Located at: <http://cfpub.epa.gov/ncea/cfm/ets/etsindex.cfm>.
165. U.S. Environmental Protection Agency. 1998. Inside IAQ (EPA/600/N-98/002) [Web Page]. Located at: <http://www.epa.gov/appcdwww/iemb/insideiaq/ss98.pdf>.
166. U.S. Environmental Protection Agency. 1999. Air quality criteria for particulate matter [Web Page]. Located at: <http://cfpub.epa.gov/ncea/cfm/partmatt.cfm>.
167. Van Strien RT, Verhoeff AP, Brunekreef B, Van Wijnen JH. 1994. Mite antigen in house dust: relationship with different housing characteristics in The Netherlands. *Clin Exp Allergy* 24:843-53.

168. Verhoeff AP, Burge HA. 1997. Health risk assessment of fungi in home environments. *Ann Allergy Asthma Immunol* 78:544-54.
169. von Mutius E, Braun-Fahrlander C, Schierl R, Riedler J, Ehlermann S, Maisch S, Waser M, Nowak D. 2000. Exposure to endotoxin or other bacterial components might protect against the development of atopy. *Clin Exp Allergy* 30:1230-4.
170. von Mutius E, Schwartz J, Neas LM, Dockery D, Weiss ST. 2001. Relation of body mass index to asthma and atopy in children: the National Health and Nutrition Examination Study III. *Thorax* 56:835-8.
171. Wallace L. 1993. A decade of studies of human exposure: what have we learned? *Risk Anal* 13:135-9.
172. Wallace L. 1996a. Environmental exposure to benzene: an update. *Environ Health Perspect* 104 Suppl 6:1129-36.
173. Wallace L. 1996b. Indoor particles: a review. *J Air Waste Manag Assoc* 46:98-126.
174. Wallace L, Buckley T, Pellizzari E, Gordon S. 1996. Breath measurements as volatile organic compound biomarkers. *Environ Health Perspect* 104 Suppl 5:861-9.
175. Wallace LA. 1991. Comparison of risks from outdoor and indoor exposure to toxic chemicals. *Environ Health Perspect* 95:7-13.
176. Wallace LA, Pellizzari ED, Hartwell TD, Davis V, Michael LC, Whitmore RW. 1989. The influence of personal activities on exposure to volatile organic compounds. *Environ Res* 50:37-55.
177. Wallace LA, Pellizzari ED, Hartwell TD, Sparacino C, Whitmore R, Sheldon L, Zelon H, Perritt R. 1987. The TEAM (Total Exposure Assessment Methodology) Study: personal exposures to toxic substances in air, drinking water, and breath of 400 residents of New Jersey, North Carolina, and North Dakota. *Environ Res* 43:290-307.
178. Wang X, Wypij D, Gold DR, Speizer FE, Ware JH, Ferris BG, Dockery DW. 1994. A longitudinal study of the effects of parental smoking on pulmonary function in children 6-18 years. *Am J Respir Crit Care Med* 149:1420-5.
179. Wang X, Zuckerman B, Pearson C, Kaufman G, Chen C, Wang G, Niu T, Wise PH, Bauchner H, Xu X. 2002. Maternal cigarette smoking, metabolic gene polymorphism, and infant birth weight. *JAMA* 287:195-202.
180. Wartenberg D, Calle EE, Thun MJ, Heath CW Jr, Lally C, Woodruff T. 2000. Passive smoking exposure and female breast cancer mortality. *J Natl Cancer Inst* 92:1666-73.
181. Weaver VM, Davoli CT, Heller PJ, Fitzwilliam A, Peters HL, Sunyer J, Murphy SE, Goldstein GW, Groopman JD. 1996. Benzene exposure, assessed by urinary trans,trans-muconic acid, in urban children with elevated blood lead levels. *Environ Health Perspect* 104:318-23.
182. Wigle DT, Collishaw NE, Kirkbride J. 1987. Exposure of involuntary smokers to toxic components of tobacco smoke. *Can J Public Health* 78:151-4.
183. Windham GC, Eaton A, Hopkins B. 1999. Evidence for an association between environmental tobacco smoke exposure and birthweight: a meta-analysis and new data. *Paediatr Perinat Epidemiol* 13:35-57.
184. Windham GC, Hopkins B, Fenster L, Swan SH. 2000. Prenatal active or passive tobacco smoke exposure and the risk of preterm delivery or low birth weight. *Epidemiology* 11:427-33.
185. Windham GC, Swan SH, Fenster L. 1992. Parental cigarette smoking and the risk of spontaneous abortion. *Am J Epidemiol* 135:1394-403.
186. Wisborg K, Kesmodel U, Henriksen TB, Olsen SF, Secher NJ. 2000. A prospective study of smoking during pregnancy and SIDS. *Arch Dis Child* 83:203-6.
187. Witschi H, Joad JP, Pinkerton KE. 1997. The toxicology of environmental tobacco smoke. *Annu Rev Pharmacol*

Toxicol 37:29-52.

188. Wood RA, Johnson EF, Van Natta ML, Chen PH, Eggleston PA. 1998. A placebo-controlled trial of a HEPA air cleaner in the treatment of cat allergy. *Am J Respir Crit Care Med* 158:115-20.
189. Wouters IM, Douwes J, Doekes G, Thorne PS, Brunekreef B, Heederik DJ. 2000. Increased levels of markers of microbial exposure in homes with indoor storage of organic household waste. *Appl Environ Microbiol* 66:627-31.
190. Yuan JM, Wang XL, Xiang YB, Gao YT, Ross RK, Yu MC. 2000. Non-dietary risk factors for nasopharyngeal carcinoma in Shanghai, China. *Int J Cancer* 85:364-9.