

## Chapter 7. Pesticides

1. Abell A, Ernst E, Bonde JP. 2000a. Semen quality and sexual hormones in greenhouse workers. *Scand J Work Environ Health* 26:492-500.
2. Abell A, Juul S, Bonde JP. 2000b. Time to pregnancy among female greenhouse workers. *Scand J Work Environ Health* 26:131-6.
3. Adgate JL, Kukowski A, Stroebel C, Shubat PJ, Morrell S, Quackenboss JJ, Whitmore RW, Sexton K. 2000. Pesticide storage and use patterns in Minnesota households with children. *J Expo Anal Environ Epidemiol* 10:159-67.
4. Agency for Toxic Substances and Disease Registry. 1995. Toxicological profile for mirex and chlordecone [Web Page]. Located at: <http://atsdr1.atsdr.cdc.gov/toxprofiles/tp66.html>.
5. Alexander FE, Patheal SL, Biondi A, Brandalise S, Cabrera ME, Chan LC, Chen Z, Cimino G, Cordoba JC, Gu LJ and others. 2001. Transplacental chemical exposure and risk of infant leukemia with MLL gene fusion. *Cancer Res* 61:2542-6.
6. Ames BN, Gold LS. 1997. The causes and prevention of cancer: gaining perspective. *Environ Health Perspect* 105 Suppl 4:865-73.
7. Anwar WA. 1997. Biomarkers of human exposure to pesticides. *Environ Health Perspect* 105 Suppl 4:801-6.
8. Aprea C, Strambi M, Novelli MT, Lunghini L, Bozzi N. 2000. Biologic monitoring of exposure to organophosphorus pesticides in 195 Italian children. *Environ Health Perspect* 108:521-5.
9. Arbuckle TE, Lin Z, Mery LS. 2001. An exploratory analysis of the effect of pesticide exposure on the risk of spontaneous abortion in an Ontario farm population. *Environ Health Perspect* 109:851-7.
10. Arbuckle TE, Savitz DA, Mery LS, Curtis KM. 1999. Exposure to phenoxy herbicides and the risk of spontaneous abortion. *Epidemiology* 10:752-60.
11. Arbuckle TE, Sever LE. 1998. Pesticide exposures and fetal death: a review of the epidemiologic literature. *Crit Rev Toxicol* 28:229-70.
12. Aspelin AL. 1997. Pesticides industry sales and usage: 1994 and 1995 market estimates [Web Page]. Located at: <http://www.epa.gov/oppbead1/pestsales/95pestsales/pstrpthome.html>.
13. Attorney General of New York. 1996. Pesticides in schools: reducing the risks [Web Page]. Located at: <http://www.oag.state.ny.us/environment/schools96.html>.
14. Bell EM, Hertz-Picciotto I, Beaumont JJ. 2001a. A case-control study of pesticides and fetal death due to congenital anomalies. *Epidemiology* 12:148-56.
15. Bell EM, Hertz-Picciotto I, Beaumont JJ. 2001b. Pesticides and fetal death due to congenital anomalies: implications of an erratum. *Epidemiology* 12:595-6.
16. Bell EM, Hertz-Picciotto I, Beaumont JJ. 2001c. Case-cohort analysis of agricultural pesticide applications near maternal residence and selected causes of fetal death. *Am J Epidemiol* 154:702-10.
17. Berger-Sweeney J, Hohmann CF. 1997. Behavioral consequences of abnormal cortical development: insights into developmental disabilities. *Behav Brain Res* 86:121-42.
18. Bhandari NR, Syal AK, Kambo I, Nair A, Beohar V, Sexena NC, Dabke AT, Agarwal SS, Saxena BN. 1990. Pregnancy outcome in women exposed to toxic gas at Bhopal. *Indian J Med Res* 92:28-33.
19. Bjorge C, Wiger R, Holme JA, Brunborg G, Andersen R, Dybing E, Soderlund EJ. 1995. In vitro toxicity of 1,2-dibromo-3-chloropropane (DBCP) in different testicular cell types from rats. *Reprod Toxicol* 9:461-73.

20. Blatter BM, Hermens R, Bakker M, Roeleveld N, Verbeek AL, Zielhuis GA. 1997. Paternal occupational exposure around conception and spina bifida in offspring. *Am J Ind Med* 32:283-91.
21. Bradman MA, Harnly ME, Draper W, Seidel S, Teran S, Wakeham D, Neutra R. 1997. Pesticide exposures to children from California's Central Valley: results of a pilot study. *J Expo Anal Environ Epidemiol* 7:217-34.
22. Brender JD, Suarez L. 1990. Paternal occupation and anencephaly. *Am J Epidemiol* 131:517-21.
23. Briassoulis G, Narlioglou M, Hatzis T. 2001. Toxic encephalopathy associated with use of DEET insect repellents: a case analysis of its toxicity in children. *Hum Exp Toxicol* 20:8-14.
24. Brimijoin S, Koenigsberger C. 1999. Cholinesterases in neural development: new findings and toxicologic implications. *Environ Health Perspect* 107 Suppl 1:59-64.
25. Buckley JD, Meadows AT, Kadin ME, Le Beau MM, Siegel S, Robison LL. 2000. Pesticide exposures in children with non-Hodgkin lymphoma. *Cancer* 89:2315-21.
26. Cannon SB, Veazey JM Jr, Jackson RS, Burse VW, Hayes C, Straub WE, Landrigan PJ, Liddle JA. 1978. Epidemic kepone poisoning in chemical workers. *Am J Epidemiol* 107:529-37.
27. Carpenter DO, Chew FT, Damstra T, Lam LH, Landrigan PJ, Makalinao I, Peralta GL, Suk WA. 2000. Environmental threats to the health of children: the Asian perspective. *Environ Health Perspect* 108:989-92.
28. Centers for Disease Control and Prevention. 2000. Illnesses associated with use of automatic insecticide dispenser units--selected states and United States, 1986-1999. *MMWR* 49:492-5.
29. Centers for Disease Control and Prevention. 2001. National report on human exposure to environmental chemicals: dimethylphosphate [Web Page]. Located at: <http://www.cdc.gov/nceh/dls/report/results/dimethylphosphate.htm>.
30. Chen WL, Sheets JJ, Nolan RJ, Mattsson JL. 1999. Human red blood cell acetylcholinesterase inhibition as the appropriate and conservative surrogate endpoint for establishing chlorpyrifos reference dose. *Regul Toxicol Pharmacol* 29:15-22.
31. Claudio L, Kwa WC, Russell AL, Wallinga D. 2000. Testing methods for developmental neurotoxicity of environmental chemicals. *Toxicol Appl Pharmacol* 164:1-14.
32. Cohen SZ. 1996. Pesticides in ground water in the United States: monitoring, modeling, and risks from the U.S. perspective. *J Environ Sci Health B* 31:345-52.
33. Colt JS, Zahm SH, Camann DE, Hartge P. 1998. Comparison of pesticides and other compounds in carpet dust samples collected from used vacuum cleaner bags and from a high-volume surface sampler. *Environ Health Perspect* 106:721-4.
34. Cordier S, Lefeuvre B, Filippini G, Peris-Bonet R, Farinotti M, Lovicu G, Mandereau L. 1997. Parental occupation, occupational exposure to solvents and polycyclic aromatic hydrocarbons and risk of childhood brain tumors (Italy, France, Spain). *Cancer Causes Control* 8:688-97.
35. Cordier S, Mandereau L, Preston-Martin S, Little J, Lubin F, Mueller B, Holly E, Filippini G, Peris-Bonet R, McCredie M and others. 2001. Parental occupations and childhood brain tumors: results of an international case-control study. *Cancer Causes Control* 12:865-74.
36. Correa-Villasenor A, Ferencz C, Boughman JA, Neill CA. 1991. Total anomalous pulmonary venous return: familial and environmental factors. The Baltimore-Washington Infant Study Group. *Teratology* 44:415-28.
37. Craan AG, Haines DA. 1998. Twenty-five years of surveillance for contaminants in human breast milk. *Arch Environ Contam Toxicol* 35:702-10.
38. Curtis CF, Lines JD. 2000. Should DDT be banned by international treaty? *Parasitol Today* 16:119-21.

39. Curtis KM, Savitz DA, Weinberg CR, Arbuckle TE. 1999. The effect of pesticide exposure on time to pregnancy. *Epidemiology* 10:112-7.
40. Dam K, Seidler FJ, Slotkin TA. 1998. Developmental neurotoxicity of chlorpyrifos: delayed targeting of DNA synthesis after repeated administration. *Brain Res Dev Brain Res* 108:39-45.
41. Daniels JL, Olshan AF, Savitz DA. 1997. Pesticides and childhood cancers. *Environ Health Perspect* 105:1068-77.
42. Daniels JL, Olshan AF, Teschke K, Hertz-Picciotto I, Savitz DA, Blatt J, Bondy ML, Neglia JP, Pollock BH, Cohn SL and others. 2001. Residential pesticide exposure and neuroblastoma. *Epidemiology* 12:20-7.
43. Davis JR, Brownson RC, Garcia R. 1992. Family pesticide use in the home, garden, orchard, and yard. *Arch Environ Contam Toxicol* 22:260-6.
44. De Peyster A, Willis WO, Molgaard CA, MacKendrick TM, Walker C. 1993. Cholinesterase and self-reported pesticide exposure among pregnant women. *Arch Environ Health* 48:348-52.
45. Dhara R. 1992. Health effects of the Bhopal gas leak: a review. *Epidemiol Prev* 14:22-31.
46. Dimich-Ward H, Hertzman C, Teschke K, Hershler R, Marion SA, Ostry A, Kelly S. 1996. Reproductive effects of paternal exposure to chlorophenolate wood preservatives in the sawmill industry. *Scand J Work Environ Health* 22:267-73.
47. Ecobichon DJ, Stephens DS. 1973. Perinatal development of human blood esterases. *Clin Pharmacol Ther* 14:41-7.
48. Ekstrom G, Hemming H, Palmborg M. 1996. Swedish pesticide risk reduction 1981-1995: food residues, health hazard, and reported poisonings. *Rev Environ Contam Toxicol* 147:119-47.
49. Engel LS, O'Meara ES, Schwartz SM. 2000. Maternal occupation in agriculture and risk of limb defects in Washington State, 1980-1993. *Scand J Work Environ Health* 26:193-8.
50. Eskenazi B, Castorina R. 1999. Association of prenatal maternal or postnatal child environmental tobacco smoke exposure and neurodevelopmental and behavioral problems in children. *Environ Health Perspect* 107:991-1000.
51. Evans RT, O'Callaghan J, Norman A. 1988. A longitudinal study of cholinesterase changes in pregnancy. *Clin Chem* 34:2249-52.
52. EXTTOXNET - Extension Toxicology Network. 2000. Pesticide active ingredient profiles [Web Page]. Located at: <http://pmep.cce.cornell.edu/profiles/exttoxnet/index.html>.
53. Falck GC, Hirvonen A, Scarpato R, Saarikoski ST, Migliore L, Norppa H. 1999. Micronuclei in blood lymphocytes and genetic polymorphism for GSTM1, GSTT1 and NAT2 in pesticide-exposed greenhouse workers. *Mutat Res* 441:225-37.
54. Fear NT, Roman E, Reeves G, Pannett B. 1998. Childhood cancer and paternal employment in agriculture: the role of pesticides. *Br J Cancer* 77:825-9.
55. Fenske RA, Kissel JC, Lu C, Kalman DA, Simcox NJ, Allen EH, Keifer MC. 2000. Biologically based pesticide dose estimates for children in an agricultural community. *Environ Health Perspect* 108:515-20.
56. Feychting M, Plato N, Nise G, Ahlbom A. 2001. Paternal occupational exposures and childhood cancer. *Environ Health Perspect* 109:193-6.
57. Freeman NC, Jimenez M, Reed KJ, Gurunathan S, Edwards RD, Roy A, Adgate JL, Pellizzari ED, Quackenboss J, Sexton K and others. 2001. Quantitative analysis of children's microactivity patterns: The Minnesota Children's Pesticide Exposure Study. *J Expo Anal Environ Epidemiol* 11:501-9.
58. Furlong CE, Li WF, Richter RJ, Shih DM, Lulis AJ, Alleva E, Costa LG. 2000. Genetic and temporal determinants of

pesticide sensitivity: role of paraoxonase (PON1). *Neurotoxicology* 21:91-100.

59. Garcia AM. 1998. Occupational exposure to pesticides and congenital malformations: a review of mechanisms, methods, and results. *Am J Ind Med* 33:232-40.
60. Garcia AM, Fletcher T, Benavides FG, Orts E. 1999. Parental agricultural work and selected congenital malformations. *Am J Epidemiol* 149:64-74.
61. Garry VF, Schreinemachers D, Harkins ME, Griffith J. 1996a. Pesticide applicators, biocides, and birth defects in rural Minnesota. *Environ Health Perspect* 104:394-9.
62. Garry VF, Tarone RE, Long L, Griffith J, Kelly JT, Burroughs B. 1996b. Pesticide applicators with mixed pesticide exposure: G-banded analysis and possible relationship to non-Hodgkin's lymphoma. *Cancer Epidemiol Biomarkers Prev* 5:11-6.
63. Glynn P. 2000. Neural development and neurodegeneration: two faces of neuropathy target esterase. *Prog Neurobiol* 61:61-74.
64. Gocmen A, Peters HA, Cripps DJ, Bryan GT, Morris CR. 1989. Hexachlorobenzene episode in Turkey. *Biomed Environ Sci* 2:36-43.
65. Goldman LR, Beller M, Jackson RJ. 1990. Aldicarb food poisonings in California, 1985-1988: toxicity estimates for humans. *Arch Environ Health* 45:141-7.
66. Goldman LR, Koduru S. 2000. Chemicals in the environment and developmental toxicity to children: a public health and policy perspective. *Environ Health Perspect* 108 Suppl 3:443-8.
67. Gordon SM, Callahan PJ, Nishioka MG, Brinkman MC, O'Rourke MK, Lebowitz MD, Moschandreas DJ. 1999. Residential environmental measurements in the national human exposure assessment survey (NHEXAS) pilot study in Arizona: preliminary results for pesticides and VOCs. *J Expo Anal Environ Epidemiol* 9:456-70.
68. Gunier RB, Harnly ME, Reynolds P, Hertz A, Von Behren J. 2001. Agricultural pesticide use in California: pesticide prioritization, use densities, and population distributions for a childhood cancer study. *Environ Health Perspect* 109:1071-8.
69. Gurney JG, Davis S, Severson RK, Fang JY, Ross JA, Robison LL. 1996. Trends in cancer incidence among children in the U.S. *Cancer* 78:532-41.
70. Gurunathan S, Robson M, Freeman N, Buckley B, Roy A, Meyer R, Bukowski J, Liou PJ. 1998. Accumulation of chlorpyrifos on residential surfaces and toys accessible to children. *Environ Health Perspect* 106:9-16.
71. Hammond B, Katzenellenbogen BS, Krauthammer N, McConnell J. 1979. Estrogenic activity of the insecticide chlordecone (Kepone) and interaction with uterine estrogen receptors. *Proc Natl Acad Sci USA* 76:6641-5.
72. Heacock H, Hertzman C, Demers PA, Gallagher R, Hogg RS, Teschke K, Hershler R, Bajdik CD, Dimich-Ward H, Marion SA and others. 2000. Childhood cancer in the offspring of male sawmill workers occupationally exposed to chlorophenolate fungicides. *Environ Health Perspect* 108:499-503.
73. Heacock H, Hogg R, Marion SA, Hershler R, Teschke K, Dimich-Ward H, Demers P, Kelly S, Ostry A, Hertzman C. 1998. Fertility among a cohort of male sawmill workers exposed to chlorophenolate fungicides. *Epidemiology* 9:56-60.
74. Hill RH Jr, Ashley DL, Head SL, Needham LL, Pirkle JL. 1995. p-Dichlorobenzene exposure among 1,000 adults in the United States. *Arch Environ Health* 50:277-80.
75. Hill RH Jr, To T, Holler JS, Fast DM, Smith SJ, Needham LL, Binder S. 1989. Residues of chlorinated phenols and phenoxy acid herbicides in the urine of Arkansas children. *Arch Environ Contam Toxicol* 18:469-74.
76. Hjalmarsson U, Kulldorff M, Wahlqvist Y, Lannering B. 1999. Increased incidence rates but no space-time clustering of

- childhood astrocytoma in Sweden, 1973-1992: a population-based study of pediatric brain tumors. *Cancer* 85:2077-90.
77. Hohmann CF, Berger-Sweeney J. 1998. Cholinergic regulation of cortical development and plasticity. New twists to an old story. *Perspect Dev Neurobiol* 5:401-25.
  78. Holly EA, Bracci PM, Mueller BA, Preston-Martin S. 1998. Farm and animal exposures and pediatric brain tumors: results from the United States West Coast Childhood Brain Tumor Study. *Cancer Epidemiol Biomarkers Prev* 7:797-802.
  79. Hosie S, Loff S, Witt K, Niessen K, Waag KL. 2000. Is there a correlation between organochlorine compounds and undescended testes? *Eur J Pediatr Surg* 10:304-9.
  80. Hum L, Kreiger N, Finkelstein MM. 1998. The relationship between parental occupation and bone cancer risk in offspring. *Int J Epidemiol* 27:766-71.
  81. Infante-Rivard C, Labuda D, Krajcinovic M, Sinnett D. 1999. Risk of childhood leukemia associated with exposure to pesticides and with gene polymorphisms. *Epidemiology* 10:481-7.
  82. Infante-Rivard C, Sinnett D. 1999. Preconceptional paternal exposure to pesticides and increased risk of childhood leukaemia. *Lancet* 354:1819.
  83. Jarrell J, Gocmen A, Foster W, Brant R, Chan S, Sevcik M. 1998. Evaluation of reproductive outcomes in women inadvertently exposed to hexachlorobenzene in southeastern Turkey in the 1950s. *Reprod Toxicol* 12:469-76.
  84. Jarrell JF, McMahan A, Villeneuve D, Franklin C, Singh A, Valli VE, Bartlett S. 1993. Hexachlorobenzene toxicity in the monkey primordial germ cell without induced porphyria. *Reprod Toxicol* 7:41-7.
  85. Johnson DE, Seidler FJ, Slotkin TA. 1998. Early biochemical detection of delayed neurotoxicity resulting from developmental exposure to chlorpyrifos. *Brain Res Bull* 45:143-7.
  86. Karmaus W, Wolf N. 1995. Reduced birthweight and length in the offspring of females exposed to PCDFs, PCP, and lindane. *Environ Health Perspect* 103:1120-5.
  87. Kerr MA, Nasca PC, Mundt KA, Michalek AM, Baptiste MS, Mahoney MC. 2000. Parental occupational exposures and risk of neuroblastoma: a case-control study (United States). *Cancer Causes Control* 11:635-43.
  88. Kolpin DW, Thurman EM, Linhart SM. 1998. The environmental occurrence of herbicides: the importance of degradates in ground water. *Arch Environ Contam Toxicol* 35:385-90.
  89. Kolpin DW, Thurman EM, Linhart SM. 2000. Finding minimal herbicide concentrations in ground water? Try looking for their degradates. *Sci Total Environ* 248:115-22.
  90. Korrick SA, Chen C, Damokosh AI, Ni J, Liu X, Cho SI, Altshul L, Ryan L, Xu X. 2001. Association of DDT with spontaneous abortion: a case-control study. *Ann Epidemiol* 11:491-6.
  91. Kostyniak PJ, Stinson C, Greizerstein HB, Vena J, Buck G, Mendola P. 1999. Relation of Lake Ontario fish consumption, lifetime lactation, and parity to breast milk polychlorobiphenyl and pesticide concentrations. *Environ Res* 80:S166-S174.
  92. Krieger RI, Dinoff TM. 2000. Captan fungicide exposures of strawberry harvesters using THPI as a urinary biomarker. *Arch Environ Contam Toxicol* 38:398-403.
  93. Kristensen P, Irgens LM, Andersen A, Bye AS, Sundheim L. 1997a. Gestational age, birth weight, and perinatal death among births to Norwegian farmers, 1967-1991. *Am J Epidemiol* 146:329-38.
  94. Kristensen P, Irgens LM, Andersen A, Bye AS, Sundheim L. 1997b. Birth defects among offspring of Norwegian farmers, 1967-1991. *Epidemiology* 8:537-44.

95. Kutz FW, Cook BT, Carter-Pokras OD, Brody D, Murphy RS. 1992. Selected pesticide residues and metabolites in urine from a survey of the U.S. general population. *J Toxicol Environ Health* 37:277-91.
96. Lambert GR, Padgett WT, George MH, Kitchin KT, Nesnow S. 1999. Quantitative analysis of alachlor protein adducts by gas chromatography-mass spectrometry. *Anal Biochem* 268:289-96.
97. Landrigan PJ, Claudio L, Markowitz SB, Berkowitz GS, Brenner BL, Romero H, Wetmur JG, Matte TD, Gore AC, Godbold JH and others. 1999. Pesticides and inner-city children: exposures, risks, and prevention. *Environ Health Perspect* 107:431-7.
98. Larsen SB, Joffe M, Bonde JP. 1998. Time to pregnancy and exposure to pesticides in Danish farmers. ASCLEPIOS Study Group. *Occup Environ Med* 55:278-83.
99. Lauder JM, Liu J, Devaud L, Morrow AL. 1998. GABA as a trophic factor for developing monoamine neurons. *Perspect Dev Neurobiol* 5:247-59.
100. Leiss JK, Savitz DA. 1995. Home pesticide use and childhood cancer: a case-control study. *Am J Public Health* 85:249-52.
101. Lerda D, Rizzi R. 1991. Study of reproductive function in persons occupationally exposed to 2,4-dichlorophenoxyacetic acid (2,4-D). *Mutat Res* 262:47-50.
102. Lewis RG, Fortmann RC, Camann DE. 1994. Evaluation of methods for monitoring the potential exposure of small children to pesticides in the residential environment. *Arch Environ Contam Toxicol* 26:37-46.
103. Lewis RG, Fortune CR, Willis RD, Camann DE, Antley JT. 1999. Distribution of pesticides and polycyclic aromatic hydrocarbons in house dust as a function of particle size. *Environ Health Perspect* 107:721-6.
104. Li DK, Zhou QD, Qin XB, Sun RM, Zhu XL, Cheng HJ, Wang CS, He JP, Qian C, Xue SZ, Xue SZ and others. 1986. An epidemiological study on the effect of N, N'-methylene-bis-(2-amino-1,3,4-thiadiazole) (MATDA) on outcomes of pregnancy. *Teratology* 33:289-97.
105. Lifshitz M, Shahak E, Sofer S. 1999. Carbamate and organophosphate poisoning in young children. *Pediatr Emerg Care* 15:102-3.
106. Lin S, Marshall EG, Davidson GK. 1994. Potential parental exposure to pesticides and limb reduction defects. *Scand J Work Environ Health* 20:166-79.
107. Lioy PJ, Edwards RD, Freeman N, Gurunathan S, Pellizzari E, Adgate JL, Quackenboss J, Sexton K. 2000. House dust levels of selected insecticides and a herbicide measured by the EL and LWW samplers and comparisons to hand rinses and urine metabolites. *J Expo Anal Environ Epidemiol* 10:327-40.
108. Litovitz TL, Klein-Schwartz W, White S, Cobaugh DJ, Youniss J, Omslaer JC, Drab A, Benson BE. 2001. 2000 annual report of the American Association of Poison Control Centers Toxic Exposure Surveillance System. *Am J Emerg Med* 19:337-95.
109. Lodovici M, Casalini C, Briani C, Dolara P. 1997. Oxidative liver DNA damage in rats treated with pesticide mixtures. *Toxicology* 117:55-60.
110. Loewenherz C, Fenske RA, Simcox NJ, Bellamy G, Kalman D. 1997. Biological monitoring of organophosphorus pesticide exposure among children of agricultural workers in central Washington State. *Environ Health Perspect* 105:1344-53.
111. Loffredo CA, Silbergeld EK, Ferencz C, Zhang J. 2001. Association of transposition of the great arteries in infants with maternal exposures to herbicides and rodenticides. *Am J Epidemiol* 153:529-36.
112. Longnecker MP, Klebanoff MA, Zhou H, Brock JW. 2001. Association between maternal serum concentration of the DDT metabolite DDE and preterm and small-for-gestational-age babies at birth. *Lancet* 358:110-4.

113. MacIntosh DL, Spengler JD, Ozkaynak H, Tsai L, Ryan PB. 1996. Dietary exposures to selected metals and pesticides. *Environ Health Perspect* 104:202-9.
114. McFarland BJ, Seidler FJ, Slotkin TA. 1991. Inhibition of DNA synthesis in neonatal rat brain regions caused by acute nicotine administration. *Brain Res Dev Brain Res* 58:223-9.
115. McGready R, Hamilton KA, Simpson JA, Cho T, Luxemburger C, Edwards R, Looareesuwan S, White NJ, Nosten F, Lindsay SW. 2001. Safety of the insect repellent N,N-diethyl-M-toluamide (DEET) in pregnancy. *Am J Trop Med Hyg* 65:285-9.
116. McKinney PA, Parslow RC, Lane SA, Bailey CC, Lewis I, Picton S, Cartwright RA. 1998. Epidemiology of childhood brain tumours in Yorkshire, UK, 1974-95: geographical distribution and changing patterns of occurrence. *Br J Cancer* 78:974-9.
117. Meinert R, Schuz J, Kaletsch U, Kaatsch P, Michaelis J. 2000. Leukemia and non-Hodgkin's lymphoma in childhood and exposure to pesticides: results of a register-based case-control study in Germany. *Am J Epidemiol* 151:639-46.
118. Mes J, Davies DJ, Doucet J, Weber D, McMullen E. 1993. Levels of chlorinated hydrocarbon residues in Canadian human breast milk and their relationship to some characteristics of the donors. *Food Addit Contam* 10:429-41.
119. Michalek JE, Rahe AJ, Boyle CA. 1998. Paternal dioxin, preterm birth, intrauterine growth retardation, and infant death. *Epidemiology* 9:161-7.
120. Misra UK, Nag D, Khan WA, Ray PK. 1988. A study of nerve conduction velocity, late responses and neuromuscular synapse functions in organophosphate workers in India. *Arch Toxicol* 61:496-500.
121. Moller H. 1997. Work in agriculture, childhood residence, nitrate exposure, and testicular cancer risk: a case-control study in Denmark. *Cancer Epidemiol Biomarkers Prev* 6:141-4.
122. Mortensen SR, Chanda SM, Hooper MJ, Padilla S. 1996. Maturation differences in chlorpyrifos-oxonase activity may contribute to age-related sensitivity to chlorpyrifos. *J Biochem Toxicol* 11:279-87.
123. Moser VC, Chanda SM, Mortensen SR, Padilla S. 1998. Age- and gender-related differences in sensitivity to chlorpyrifos in the rat reflect developmental profiles of esterase activities. *Toxicol Sci* 46:211-22.
124. Mullins ME, Brands CL, Daya MR. 2000. Unintentional pediatric superwarfarin exposures: do we really need a prothrombin time? *Pediatrics* 105:402-4.
125. Munger R, Isacson P, Hu S, Burns T, Hanson J, Lynch CF, Cherryholmes K, Van Dorpe P, Hausler WJ. 1997. Intrauterine growth retardation in Iowa communities with herbicide-contaminated drinking water supplies. *Environ Health Perspect* 105:308-14.
126. Murphy RS, Kutz FW, Strassman SC. 1983. Selected pesticide residues or metabolites in blood and urine specimens from a general population survey. *Environ Health Perspect* 48:81-6.
127. Nair U, Bartsch H. 2001. Metabolic polymorphisms as susceptibility markers for lung and oral cavity cancer. *IARC Sci Publ* 154:271-90.
128. Narahashi T, Ginsburg KS, Nagata K, Song JH, Tatebayashi H. 1998. Ion channels as targets for insecticides. *Neurotoxicology* 19:581-90.
129. National Academy of Sciences. 1993. *Pesticides in the diets of infants and children*. Washington, D.C.: National Academy Press.
130. National Academy of Sciences. 2000. *The future role of pesticides in U.S. agriculture*. Washington, D.C.: National Academy Press.
131. National Academy of Sciences. 2001. *Veterans and agent orange. Update 2000*. Washington, D.C.: National Academy

Press.

132. New York City Department of Health. 2001. Adult mosquito control programs. Final environmental impact statement [Web Page]. Located at: <http://www.nyc.gov/html/doh/html/wnv/feis.html>.
133. Nishi M, Miyake H, Takeda T, Hatae Y. 1999. Epidemiology of childhood brain tumors in Japan. *Int J Oncol* 15:721-5.
134. Nishioka MG, Lewis RG, Brinkman MC, Burkholder HM, Hines CE, Menkedick JR. 2001. Distribution of 2,4-D in air and on surfaces inside residences after lawn applications: comparing exposure estimates from various media for young children. *Environ Health Perspect* 109:1185-91.
135. Noren K, Meironyte D. 1998. Contaminants in Swedish human milk. Decreasing levels of organochlorine and increasing levels of organobromine compounds. *Organohalogen Compounds* 38:1-4.
136. Noren K, Meironyte D. 2000. Certain organochlorine and organobromine contaminants in Swedish human milk in perspective of past 20-30 years. *Chemosphere* 40:1111-23.
137. Nurminen T. 1995. Maternal pesticide exposure and pregnancy outcome. *J Occup Environ Med* 37:935-40.
138. Nurminen T, Rantala K, Kurppa K, Holmberg PC. 1995. Agricultural work during pregnancy and selected structural malformations in Finland. *Epidemiology* 6:23-30.
139. Olshan AF, De Roos AJ, Teschke K, Neglia JP, Stram DO, Pollock BH, Castleberry RP. 1999. Neuroblastoma and parental occupation. *Cancer Causes Control* 10:539-49.
140. Omichinski JG, Soderlund EJ, Dybing E, Pearson PG, Nelson SD. 1988. Detection and mechanism of formation of the potent direct-acting mutagen 2-bromoacrolein from 1,2-dibromo-3-chloropropane. *Toxicol Appl Pharmacol* 92:286-94.
141. Padungtod C, Hassold TJ, Millie E, Ryan LM, Savitz DA, Christiani DC, Xu X. 1999. Sperm aneuploidy among Chinese pesticide factory workers: scoring by the FISH method. *Am J Ind Med* 36:230-8.
142. Padungtod C, Savitz DA, Overstreet JW, Christiani DC, Ryan LM, Xu X. 2000. Occupational pesticide exposure and semen quality among Chinese workers. *J Occup Environ Med* 42:982-92.
143. Palmiter RD, Mulvihill ER. 1978. Estrogenic activity of the insecticide kepone on the chicken oviduct. *Science* 201:356-8.
144. Pan American Health Organization. 1999. Report on the status of malaria programs in the Americas (based on 1998 data) [Web Page]. Located at: [http://165.158.1.110/english/hcp/hcttbl\\_3.htm](http://165.158.1.110/english/hcp/hcttbl_3.htm).
145. Pastore LM, Hertz-Picciotto I, Beaumont JJ. 1997. Risk of stillbirth from occupational and residential exposures. *Occup Environ Med* 54:511-8.
146. Peluso M, Munia A, Bolognesi C, Parodi S. 1998. 32P-postlabeling detection of DNA adducts in mice treated with the herbicide Roundup. *Environ Mol Mutagen* 31:55-9.
147. Peters HA, Gocmen A, Cripps DJ, Bryan GT, Dogramaci I. 1982. Epidemiology of hexachlorobenzene-induced porphyria in Turkey: clinical and laboratory follow-up after 25 years. *Arch Neurol* 39:744-9.
148. Pluth JM, Nicklas JA, O'Neill JP, Albertini RJ. 1996. Increased frequency of specific genomic deletions resulting from in vitro malathion exposure. *Cancer Res* 56:2393-9.
149. Pogoda JM, Preston-Martin S. 1997. Household pesticides and risk of pediatric brain tumors. *Environ Health Perspect* 105:1214-20.
150. Procianny RS, Schwartsman S. 1981. Blood pesticide concentration in mothers and their newborn infants. Relation to prematurity. *Acta Paediatr Scand* 70:925-8.

151. Quinsey PM, Donohue DC, Ahokas JT. 1995. Persistence of organochlorines in breast milk of women in Victoria, Australia. *Food Chem Toxicol* 33:49-56.
152. Ray DE, Forshaw PJ. 2000. Pyrethroid insecticides: poisoning syndromes, synergies, and therapy. *J Toxicol Clin Toxicol* 38:95-101.
153. Restrepo M, Munoz N, Day N, Parra JE, Hernandez C, Blettner M, Giraldo A. 1990 . Birth defects among children born to a population occupationally exposed to pesticides in Colombia. *Scand J Work Environ Health* 16:239-46.
154. Richard JJ, Junk GA, Avery MJ, Nehring NL, Fritz JS, Svec HJ. 1975. Analysis of various Iowa waters for selected pesticides: atrazine, DDE, and dieldrin-1974. *Pestic Monit J* 9:117-23.
155. Ritter WF. 1990. Pesticide contamination of ground water in the United States--a review. *J Environ Sci Health* 25:1-29.
156. Roberts DR, Laughlin LL, Hsueh P, Legters LJ. 1997. DDT, global strategies, and a malaria control crisis in South America. *Emerg Infect Dis* 3:295-302.
157. Roberts DR, Manguin S, Mouchet J. 2000. DDT house spraying and re-emerging malaria . *Lancet* 356:330-2.
158. Sabbioni G, Neumann HG. 1990. Biomonitoring of arylamines: hemoglobin adducts of urea and carbamate pesticides. *Carcinogenesis* 11:111-5.
159. Savage EP, Keefe TJ, Wheeler HW, Mounce L, Helwig L, Applehans F, Goes E, Goes T, Mihlan G, Rensch J and others. 1981. Household pesticide usage in the United States. *Arch Environ Health* 36:304-9.
160. Savitz DA, Arbuckle T, Kaczor D, Curtis KM. 1997. Male pesticide exposure and pregnancy outcome. *Am J Epidemiol* 146:1025-36.
161. Schattenberg HJ 3rd, Geno PW, Hsu JP, Fry WG, Parker RP. 1996. Effect of household preparation on levels of pesticide residues in produce. *J AOAC Int* 79:1447-53.
162. Schreiber G , Richardson SJ, Prapunpoj P. 2001. Structure and expression of the transthyretin gene in the choroid plexus: a model for the study of the mechanism of evolution. *Microsc Res Tech* 52:21-30.
163. Schwartz DA, LoGerfo JP. 1988. Congenital limb reduction defects in the agricultural setting. *Am J Public Health* 78:654-8.
164. Shaw GM, Wasserman CR, O'Malley CD, Nelson V, Jackson RJ. 1999. Maternal pesticide exposure from multiple sources and selected congenital anomalies. *Epidemiology* 10:60-6.
165. Sim M, Forbes A, McNeil J, Roberts G. 1998. Termite control and other determinants of high body burdens of cyclodiene insecticides. *Arch Environ Health* 53:114-21.
166. Simcox NJ, Camp J, Kalman D, Stebbins A, Bellamy G, Lee IC, Fenske R. 1999. Farmworker exposure to organophosphorus pesticide residues during apple thinning in central Washington State. *Am Ind Hyg Assoc J* 60:752-61.
167. Simcox NJ, Fenske RA, Wolz SA, Lee IC, Kalman DA. 1995. Pesticides in household dust and soil: exposure pathways for children of agricultural families. *Environ Health Perspect* 103:1126-34.
168. Slotkin TA. 1999. Developmental cholinotoxicants: nicotine and chlorpyrifos. *Environ Health Perspect* 107 Suppl 1 :71-80.
169. Slutsky M, Levin JL, Levy BS. 1999. Azoospermia and oligospermia among a large cohort of DBCP applicators in 12 countries. *Int J Occup Environ Health* 5:116-22.
170. Smith D. 1999. Worldwide trends in DDT levels in human breast milk. *Int J Epidemiol* 28:179-88.

171. Smith EM, Hammonds-Ehlers M, Clark MK, Kirchner HL, Fuortes L. 1997. Occupational exposures and risk of female infertility. *J Occup Environ Med* 39:138-47.
172. Smith MA, Freidlin B, Ries LA, Simon R. 1998. Trends in reported incidence of primary malignant brain tumors in children in the United States. *J Natl Cancer Inst* 90:1269-77.
173. Soderlund DM, Smith TJ, Lee SH. 2000. Differential sensitivity of sodium channel isoforms and sequence variants to pyrethroid insecticides. *Neurotoxicology* 21:127-37.
174. Song X, Seidler FJ, Saleh JL, Zhang J, Padilla S, Slotkin TA. 1997. Cellular mechanisms for developmental toxicity of chlorpyrifos: targeting the adenylyl cyclase signaling cascade. *Toxicol Appl Pharmacol* 145:158-74.
175. Stokes L, Stark A, Marshall E, Narang A. 1995. Neurotoxicity among pesticide applicators exposed to organophosphates. *Occup Environ Med* 52:648-53.
176. Task Force on DDT and Chlordane NAWGftSMoC. 1997. North American regional action plan on DDT [Web Page]. Located at: [http://www.cec.org/programs\\_projects/pollutants\\_health/smoc/ddt.cfm](http://www.cec.org/programs_projects/pollutants_health/smoc/ddt.cfm).
177. Tenenbein M. 1987. Severe toxic reactions and death following the ingestion of diethyltoluamide-containing insect repellents. *JAMA* 258:1509-11.
178. Thomas DC, Petitti DB, Goldhaber M, Swan SH, Rappaport EB, Hertz-Picciotto I. 1992. Reproductive outcomes in relation to malathion spraying in the San Francisco Bay Area, 1981-1982. *Epidemiology* 3:32-9.
179. Thonneau P, Abell A, Larsen SB, Bonde JP, Joffe M, Clavert A, Ducot B, Multigner L, Danscher G. 1999. Effects of pesticide exposure on time to pregnancy: results of a multicenter study in France and Denmark. ASCLEPIOS Study Group. *Am J Epidemiol* 150:157-63.
180. Tominack RL. 2000. Herbicide formulations. *J Toxicol Clin Toxicol* 38:129-35.
181. U.S. Environmental Protection Agency. 1998. Pesticidal chemicals classified as known, probable or possible human carcinogens [Web Page]. Located at: <http://www.pested.psu.edu/fqpacantab.pdf>.
182. U.S. Environmental Protection Agency. 1999a. Current drinking water standards (EPA 810-F-94-001) [Web Page]. Located at: <http://www.epa.gov/safewater/mcl.html>.
183. U.S. Environmental Protection Agency. 1999b. Pesticide industry sales and usage: 1996 and 1997 market estimates [Web Page]. Located at: <http://www.epa.gov/oppbead1/pestsales/97pestsales/intro.htm>.
184. U.S. Environmental Protection Agency. 1999c. Transport of lawn-applied 2,4-D from turf to home: assessing the relative importance of transport mechanisms and exposure pathways (EPA 600-R-99-040) [Web Page]. Located at: <http://www.epa.gov/ORD/WebPubs/lawn/600r99040.pdf>.
185. U.S. Environmental Protection Agency. 2001. Lists of other (inert) pesticide ingredients [Web Page]. Located at: <http://www.epa.gov/oppr001/inerts/lists.html>.
186. U.S. Food and Drug Administration. 2000. Pesticide program: residue monitoring 1999 [Web Page]. Located at: <http://www.cfsan.fda.gov/~acrobat/pes99rep.pdf>.
187. Varma DR. 1987. Epidemiological and experimental studies on the effects of methyl isocyanate on the course of pregnancy. *Environ Health Perspect* 72:153-7.
188. Weidner IS, Moller H, Jensen TK, Skakkebaek NE. 1998. Cryptorchidism and hypospadias in sons of gardeners and farmers. *Environ Health Perspect* 106:793-6.
189. Whitmore RW, Immerman FW, Camann DE, Bond AE, Lewis RG, Schaum JL. 1994. Non-occupational exposures to pesticides for residents of two U.S. cities. *Arch Environ Contam Toxicol* 26:47-59.

190. Whorton D, Krauss RM, Marshall S, Milby TH. 1977. Infertility in male pesticide workers. *Lancet* 2:1259-61.
191. Whorton MD, Obrinsky DL. 1983. Persistence of symptoms after mild to moderate acute organophosphate poisoning among 19 farm field workers. *J Toxicol Environ Health* 11:347-54.
192. Whyatt RM, Barr DB. 2001. Measurement of organophosphate metabolites in postpartum meconium as a potential biomarker of prenatal exposure: a validation study. *Environ Health Perspect* 109:417-20.
193. Wilson PD, Loffredo CA, Correa-Villasenor A, Ferencz C. 1998. Attributable fraction for cardiac malformations. *Am J Epidemiol* 148:414-23.
194. World Health Organization. 1996. Water, sanitation and health. Guidelines for drinking water quality [Web Page]. Located at: [http://www.who.int/water\\_sanitation\\_health/GDWQ/index.html](http://www.who.int/water_sanitation_health/GDWQ/index.html).
195. Zahm SH, Ward MH. 1998. Pesticides and childhood cancer. *Environ Health Perspect* 106 Suppl 3:893-908.
196. Zartarian VG, Ozkaynak H, Burke JM, Zufall MJ, Rigas ML, Furtaw EJ Jr. 2000. A modeling framework for estimating children's residential exposure and dose to chlorpyrifos via dermal residue contact and nondietary ingestion. *Environ Health Perspect* 108:505-14.
197. Zheng Q, Olivier K, Won YK, Pope CN. 2000. Comparative cholinergic neurotoxicity of oral chlorpyrifos exposures in preweanling and adult rats. *Toxicol Sci* 55:124-32.